

No. 66698

**APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER
OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF
NEVADA HERETOFORE APPROPRIATED**

Date of filing in State Engineer's Office AUG 10 2000

Returned to applicant for correction _____

Corrected application filed _____

Map filed MAR 08 1995 under 61000

The applicant **Steve and Donna Hurley**, hereby make application for permission to change the **Point of diversion and place of use** of water heretofore appropriated under **Permit No. 14468 Certificate No. 6372**

1. The source of water is **Underground – Las Vegas Artesian Basin**
2. The amount of water to be changed **2 Ac. Ft.**
3. The water to be used for **Quasi-Municipal**
4. The water heretofore permitted for **Quasi-Municipal**
5. The water is to be diverted at the following point **An existing well located at: SW¼ SW¼ Sec. 23 T22S R60E M.D.B.&M. Clark County, Nevada or at a point from where the South ¼ corner of said Section 23 bears South 79°25'37" East a distance of 1636.0 feet.**
6. The existing permitted point of diversion is located within **NW¼ NW¼ Sec. 10 T21S R61E M.D.B.&M., or at a point from which the NW corner of said Sec. 10 bears N 15°40' W at a distance of 917.0 Ft.**
7. Proposed place of use **SE¼ of the SE¼ of the SW¼ of the SW¼ Sec. 23 T22S R60E M.D.B.&M. Clark County, Nevada (map already on file under application No. 65647)**
8. Existing place of use **Water is developed by means of drilled well and is pumped through a distribution system to the Sahara Hotel pools, lawns, plants and other hotel facilities located within the NE¼ NE¼ Sec. 9 and NW¼ NW¼ Sec. 10 T21S R61E M.D.B.&M.**
9. Use will be from **Jan. 1 to Dec. 31** of each year.
10. Use was permitted from **Jan. 1 to Dec. 31** of each year.
11. Description of proposed works **Existing Well**
12. Estimated cost of works **Not Required – Already Constructed**
13. Estimated time required to construct works **Already Constructed**
14. Estimated time required to complete the application of water to beneficial use **Immediately upon Approval of this Application**
15. Remarks: **Steve & Donna Hurley received a letter from the Nevada State Engineer, dated April 3, 2000, bringing their attention to the amount of water used under Application No. 65647 and was requested to come into compliance. This Application of 2 ac. Ft. which they purchased in May 2000, when added to the water under Application No. 65647 will bring them into compliance. With the water from this Application they will have sufficient water to meet their future needs. (April 3, 2000 correspondence attached)**

By **Darrel M. Scow**
s/Darrel M. Scow
2825 E. Cottonwood Pkwy Suite 120
Salt Lake City, Utah 84121

Compared cmf/ kdg ds/bk
Protested _____

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the point of diversion and place of use of a portion of the waters of an underground source as heretofore granted under Permit 14468, Certificate 6372, is issued subject to the terms and conditions imposed in said Permit 14468, Certificate 6372, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 65647 and 66698 shall not exceed 1.309 million gallons annually.
(CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 0.0106 cubic feet per second, but not to exceed 0.652 million gallons annually.

Work must be prosecuted with reasonable diligence and be completed on or before:

July 12, 2002

Proof of completion of work shall be filed before:

August 12, 2002

Water must be placed to beneficial use on or before:

July 12, 2005

Proof of the application of water to beneficial use shall be filed on or before:

August 12, 2005

Map in support of proof of beneficial use shall be filed on or before:

N/A

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set
my hand and the seal of my office,

this 21st day of, February A.D. 2001


State Engineer

Completion of work filed AUG 22 2002

Proof of beneficial use filed _____

Cultural map filed N/A

Certificate No. _____ Issued _____

